

FIG. 1A






FIG. 1B






FIG. 3




FIG.4




FIG.5

FIG. 6A




FIG. 6B




FIG. 6C




FIG. 6D




FIG. 6E

FIG. 7A




FIG. 7B




FIG. 7C





FIG. 7D






FIG. 8

FIG. 9A




FIG. 9B




FIG. 9C




FIG. 10A




FIG. 10B




FIG. 10C





FIG. 10D



Treatment mg/kg/d		Ratio	MST ± SD	CI
NC1153	CsA			
20	10	2:1	33.6 ± 10.04	0.30
40	5	8:1	28.8 ± 9.87	0.49
40	10	4:1	36.0 ± 10.05	0.36
80	5	16:1	36.6 ± 4.72	0.51

FIG. 11A




FIG. 11B




FIG. 11C




FIG. 11D




FIG. 11E





FIG. 11F



* <0.05 • <0.01 † <0.001




FIG. 12A




FIG. 12B




FIG. 13A




FIG. 13B




FIG. 13C




FIG. 13D




FIG. 13E




FIG. 13F

FIG. 14A

FIG. 14B




FIG. 15A

FIG. 15B




FIG. 16A

FIG. 16B




FIG. 17A

FIG. 17B


Concentration [μM]

FIG. 18A

FIG. 18B




FIG. 19A

FIG. 19B




FIG. 20A

FIG. 20B




FIG. 21A

FIG. 21B




FIG. 22A

FIG. 22B




FIG. 23A

FIG. 23B




FIG. 24A

FIG. 24B




FIG. 25A

FIG. 25B


Concentration [μ m]

FIG. 26A

FIG. 26B




FIG. 27A

FIG. 27B




FIG. 28A

FIG. 28B





FIG. 29A

FIG. 29B



% Inhibition

Concentration [μm]

FIG. 30A

FIG. 30B




FIG. 31A

FIG. 31B

% Inhibition




FIG. 32A

FIG. 32B





FIG. 33A

FIG. 33B



Concentration [μm]

FIG. 34A

FIG. 34B




FIG. 35A

FIG. 35B




FIG. 36A

FIG. 36B

% Inhibition





FIG. 37A

FIG. 37B



Concentration [μm]

FIG. 38A

FIG. 38B

% Inhibition





FIG. 39A

FIG. 39B

Concentration [μm]

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.